



COCONUT WOOD HIGH QUALITY FLOORING

LOGGING, LOG SELECTION AND MILLING













Outline

- Coconut Logging
 - Fiji
 - Samoa
- Palm and Log Selection
 - Palm selection
 - Log selection
- Milling Process
 - Sawing
 - Treatment
 - Stacking and drying

Coconut Logging - Samoa





 Coconut logging in Upolu (Mulifanua & Samatau) and Savaii (Salalevalu) – Wood properties trial.

Coconut Logging - Fiji



Coconut Logging in Savusavu (Nagigi) and Taveuni (Vunivasa estate) – For the wood properties trial.

Palm Selection





- Age of trees
- Trees not bearing nuts

- Height
- Absence of bark scars (fallen branch)

Log Selection





- High density wood darker part of the stem
- Straightness

Milling Process - Sawing





- Bandsaw cutting Forestry Band sawmill (Suva)
- Circular saw cutting Strickland Bro. Portable mill (Apia, Samoa)

Milling Process Preservative treatment







- Susceptible to stain, mould and insect damage
- Old treatments not safe
- New treatments found to protect cocowood

Milling Process - Stacking & Drying





- Stacking by grade high, medium and low dense
- Packet to be filleted before drying
- Cocowood stacks to be dried under cover.

